



room  
1001  
1101

# AURA

TECHNICAL SPECIFICATION



# This Range

A versatile collection of porcelain tiles, suitable for interior applications. Available in 9mm, offering a balance of elegance and durability.

## Sizes

1200 x 600 x 9mm rectified polished  
1200 x 600 x 9mm rectified natural  
800 x 800 x 9mm rectified polished  
mosaic 300 x 300 x 9mm rectified polished  
mosaic 300 x 300 x 9mm rectified natural




Heavy Footfall



Stairs






Interior



Walls

## Colours

	Cryrtal		Black
	Amber		Emerald
	Ocean		Opal
	Rose		

# Technical Details

<b>Technical Features</b>	<b>Test Method</b>	<b>Required Values</b>	<b>Average Values</b>
Water Absorption	ISO 10545-3	-	Conforms with the standard
Modulus of Rupture	ISO 10545-4	-	Conforms with the standard
Breaking strength	ISO 10545-4	-	Conforms with the standard
Thermal shock resistance	ISO 10545-9	required	resistant
Frost resistance	ISO 10545-12	required	resistant
Chemical resistance	ISO 10545-13	required	resistant



**-Aura Rose  
(Floor & Wall)**




**-Aura Amber  
(Floor & Wall)**



**-Aura Black  
(Floor & Wall)**



**-Aurora Emerald  
(Floor & Wall)**



**-Aura Crystal  
(Floor & Wall)**



**-Aura Ocean  
(Floor)**



**-Aura Opal  
(Floor & Wall)**



**-Aurora Crystal  
(Floor & Wall)**



KEYSTONE

204 Duggins Lane, Tile Hill, Coventry,  
CV4 9GP  
02475 092 859  
[www.keystoneco.co.uk](http://www.keystoneco.co.uk)

