

A photograph of a modern interior courtyard. In the center, a tall, slender potted plant with green leaves and small pink flowers stands against a wall of large, light-colored stone tiles. Above the plant, a skylight with a grid pattern allows natural light into the space. The courtyard is framed by white architectural elements, including a large overhanging roof on the left. The bottom of the image is divided into a black diagonal section on the left and a white section on the right.

LUNAR

TECHNICAL SPECIFICATION



This Range

A versatile collection of porcelain tiles, suitable for both interior and exterior applications.
Available in 9mm and 9.5mm, offering a balance of elegance and durability.

Sizes

1200 x 600 x 9.5mm rectified natural
600 x 600 x 9mm rectified natural
600 x 300 x 9mm rectified natural
300 x 100 x 9mm rectified natural



Heavy Footfall



Stairs




Interior



Exterior



Wet Areas



Pool Edging

Colours



White



Sand



Grey



Dark

Technical Details

Technical Features	Test Method	Required Values	Average Values
Water Absorption	ISO 10545-3	$\leq 0.5\%$	Conforms to standard
Modulus of Rupture	ISO 10545-4	$\geq 35 \text{ N/mm}^2$	Conforms to standard
Breaking strength	ISO 10545-4	$\geq 1300 \text{ N}$	Conforms to standard
Thermal shock resistance	ISO 10545-9	Required	Resistant
Frost resistance	ISO 10545-12	As indicated by manufacturer	Resistant
Chemical resistance	ISO 10545-13	Min Class B	Resistant



**-Lunar Sand
(Floor & Wall)**



**-Lunar Grey
(Floor)**




**-Lunar Dark
(Floor)**



**-Lunar White
(Floor & Wall)**



**-Lunar Grey
(Floor)**



**-Lunar Sand
(Floor)**



**-Lunar Grey
(Floor)**



**-Lunar White
(Floor & Wall)**



KEYSTONE

204 Duggins Lane, Tile Hill, Coventry,
CV4 9GP

02475 092 859

www.keystoneco.co.uk

