

Mirabelle

TECHNICAL
SPECIFICATION



MIRABELLE

A versatile collection of porcelain tiles, suitable for both interior and exterior applications. Available in 9mm and 20mm thickness, offering a balance of elegance and durability.

SIZES

1200 x 600 x 20mm rectified grip
1200 x 600 x 9mm rectified natural
800 x 800 x 9mm rectified natural
600 x 600 x 9mm rectified natural
600 x 300 x 9mm rectified natural

COLOURS

White



Beige



Grey



TECHNICAL DETAILS

TECHNICAL FEATURES	TEST METHOD	REQUIRED VALUES	AVERAGE VALUES
WATER ABSORPTION	ISO 10545-3	$\leq 0,5\%$	Compliant
MODULUS OF RUPTURE	ISO 10545-4	$R \geq 35 \text{ N/mm}^2$	Compliant
BREAKING STRENGTH	ISO 10545-4	$S \geq 1300 \text{ N}$	Compliant
THERMAL SHOCK RESISTANCE	ISO 10545-9	Required	Compliant
CHEMICAL RESISTANCE	ISO 10545-13	MINIMUM GB	GA
FROST RESISTANCE	ISO 10545-12	Resistant	Compliant



Mirabelle Grey
Outdoor



Mirabelle Beige
(Floor)



Mirabelle Grey
(Floor)



Mirabelle Beige
(Floor)



Mirabelle White
(Floor)



Mirabelle White
(Floor)



204 Duggins Lane, Tile Hill,
Coventry, CV4 9GP
02475 092 859
www.keystoneco.co.uk