



PETRANOVA

TECHNICAL SPECIFICATION



This Range

**A versatile collection of porcelain tiles, suitable for both interior and exterior applications.
Available in 6.5mm, 8.5mm, and 20mm, offering a balance of elegance and durability.**

Sizes

2780 x 1200 x 6.5mm rectified natural
1200 x 1200 x 8.5mm rectified natural
1200 x 600 x 20mm rectified grip
1200 x 600 x 8.5mm rectified natural
1200 x 600 x 8.5mm rectified tumbled natural
1200 x 600 x 8.5mm rectified grip

600 x 600 x 8.5mm rectified natural
610 x 406 x 8.5mm rectified tumbled natural
406 x 406 x 8.5mm rectified tumbled natural
406 x 203 x 8.5mm rectified tumbled natural
203 x 203 x 8.5mm rectified tumbled natural
skirting 1200 x 65 x 8.5mm rectified natural



Heavy Footfall



Stairs



Interior



Exterior



Wet Areas



Pool Edging

Colours



Latte



Cream



Sabbia



Gris

Tumbled			
	Latte		Cream
	Sabbia		Gris

Technical Details

Technical Features	Test Method	Required Values	Average Values
Water Absorption	ISO 10545-3	$\leq 0.5\%$	$E \leq 0,04 \%$
Modulus of Rupture	ISO 10545-4	$R \geq 35 \text{ N/mm}^2$	53 N/mm2
Breaking strength	ISO 10545-4	$\geq 1300 \text{ N}$	Conforms to standard
Thermal Shock Resistance	ISO 10545-9	Required	Resistant
Frost resistance	ISO 10545-12	Required	Resistant
Chemical resistance	ISO 10545-13	UB MIN	Compliant



**-Petranova Gris
(Out - Floor)**



**-Petranova Latte
(Floor & Wall)**



**-Petranova Sabbia
(Floor)**



**-Petranova Gris
(Floor & Wall)**



**-Petranova Cream
(Floor & Wall)**



**-Petranova Cream
Tumbled
(Floor & Wall)**



**-Petranova Sabbia
(Floor)**



**-Petranova Cream
(Floor & Wall)**



**-Petranova Latte & Gris
(Floor & Wall)**



**-Petranova Latte & Gris
(Floor & Wall)**



KEYSTONE

204 Duggins Lane, Tile Hill, Coventry,
CV4 9GP

02475 092 859

www.keystoneco.co.uk

