



RENO

TECHNICAL SPECIFICATION



This Range

A versatile collection of porcelain tiles, suitable for interior applications. Available in 9mm , offering a balance of elegance and durability.

Sizes

1200 x 1200 x 9mm rectified natural
1200 x 600 x 9mm rectified natural
800 x 800 x 9mm rectified natural
600 x 600 x 9mm rectified natural
600 x 300 x 9mm rectified natural



Heavy Footfall



Stairs



Interior



Wet Areas



Pool Edging

Colours



Ash



Beige



Mocha



Ecru

Technical Details

Technical Features	Test Method	Required Values	Average Values
Water Absorption	ISO 10545-3	≤ 0.5%	Compliant
Modulus of Rupture	ISO 10545-4	-	-
Breaking strength	ISO 10545-4	-	-
Thermal Shock Resistance	ISO 10545-9	Required	Compliant
Frost resistance	ISO 10545-12	Resistant	Compliant
Chemical resistance	ISO 10545-13	MINUMUM GB	GA



**-Reno Ash
(Floor)**



**-Reno Beige
(Floor)**



**-Reno Beige
(Floor)**



**-Reno Ash
(Floor)**



**-Reno Ecrú
(Floor)**



**-Reno Mocha
(Floor)**



KEYSTONE

204 Duggins Lane, Tile Hill, Coventry,
CV4 9GP

02475 092 859

www.keystoneco.co.uk

