



TUSCANY

TECHNICAL SPECIFICATION



This Range

A versatile collection of porcelain tiles, suitable for both interior and exterior applications.
Available in 6mm, offering a balance of elegance and durability.

Sizes

3000 x 1000 x 6mm honed
1000 x 1000 x 6mm honed



Colours

	Beige		White
	Grey		

Technical Details

Technical Features	Test Method	Required Values	Average Values
Water Absorption	ISO 10545-3	$\leq 0.5\%$	0,03% 0,06%
Modulus of Rupture	ISO 10545-4	$\geq 35 \text{ N/mm}^2$	50 N/mm ²
Breaking strength	ISO 10545-4	$\geq 1300 \text{ N}$	Conforms to standard
Thermal shock resistance	ISO 10545-9	Required	Resistant
Frost resistance	ISO 10545-12	As indicated by manufacturer	Resistant
Chemical resistance	ISO 10545-13	Min Class B	Resistant



**-Tuscany Beige
(Floor & Wall)**



**-Tuscany White
(Floor)**



**-Tuscany Griego
(Floor & Wall)**



**-Tuscany Beige
(Floor & Fitted desk)**



KEYSTONE

204 Duggins Lane, Tile Hill, Coventry,
CV4 9GP

02475 092 859

www.keystoneco.co.uk

